

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8813	((370/229) or (370/230) or (370/230.1) or (370/231) or (370/232) or (370/233) or (370/234) or (370/235) or (370/235.1) or (370/237) or (370/238) or (370/241) or (370/242) or (370/244) or (370/245) or (370/250) or (370/252) or (370/253)).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S2	930	(370/229).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S3	1458	(370/230).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S4	304	(370/230.1).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S5	539	(370/231).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S6	748	(370/232).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S7	170	(370/233).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S8	148	(370/234).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S9	1739	(370/235).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S10	102	(370/235.1).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S11	241	(370/237).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S12	606	(370/238).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S13	607	(370/241).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19

S14	666	(370/242).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S15	430	(370/244).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S16	178	(370/245).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S17	264	(370/250).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S18	2361	(370/252).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S19	333	(370/253).OCLS.	USPAT; USOCR	OR	OFF	2008/12/18 12:19
S20	0	(((quality) adj2 (service)) or (QOS)) AND ((differentiated) adj (services)) AND ((traffic) SAME (analysis))	USPAT	OR	ON	2008/12/18 12:19
S21	5120	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analysis))	USPAT	OR	ON	2008/12/18 12:19
S22	10471	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3))	USPAT	OR	ON	2008/12/18 12:19
S23	11701	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3) or (mapping))	USPAT	OR	ON	2008/12/18 12:19

S24	73	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4))	USPAT	OR	ON	2008/12/18 12:19
S25	18	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((train\$3) or (mock \$3) or ((run) adj (through)))	USPAT	OR	ON	2008/12/18 12:19
S26	43	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) and (statistic\$5)	USPAT	OR	ON	2008/12/18 12:19
S27	43	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5))	USPAT	OR	ON	2008/12/18 12:19

S28	29	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4))	USPAT	OR	ON	2008/12/18 12:19
S29	27	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj (protocol)) or (IP)) near3 (address))	USPAT	OR	ON	2008/12/18 12:19
S30	27	(((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj	USPAT	OR	ON	2008/12/18 12:19

		((protocol)) or (IP)) near3 ((address) or (identification) or (ID)))				
S31	27	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (QOS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj (protocol)) or (IP)) near3 ((address) or (identification) or (ID))) AND ((port) adj (number))	USPAT	OR	ON	2008/12/18 12:19
S32	0	((quality) adj2 (service)) or (QOS)) AND ((differentiated) adj (services)) AND ((traffic) SAME (analysis))	USPAT	OR	ON	2008/12/18 12:19
S33	5120	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analysis))	USPAT	OR	ON	2008/12/18 12:19
S34	10471	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3))	USPAT	OR	ON	2008/12/18 12:19

S35	11701	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3) or (mapping))	USPAT	OR	ON	2008/12/18 12:19
S36	73	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4))	USPAT	OR	ON	2008/12/18 12:19
S37	18	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((train\$3) or (mock \$3) or ((run) adj (through)))	USPAT	OR	ON	2008/12/18 12:19
S38	43	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) and (statistic\$5)	USPAT	OR	ON	2008/12/18 12:19

S39	43	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5))	USPAT	OR	ON	2008/12/18 12:19
S40	29	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4))	USPAT	OR	ON	2008/12/18 12:19
S41	27	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj (protocol)) or (IP)) near3 (address))	USPAT	OR	ON	2008/12/18 12:19

S42	27	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj (protocol)) or (IP)) near3 ((address) or (identification) or (ID)))	USPAT	OR	ON	2008/12/18 12:19
S43	27	((quality) adj2 (service)) or (QOS) or ((differentiated) adj (services))) AND (((traffic) SAME (analysis) or (analy \$4) or (model\$3)) AND ((((class) adj2 (service)) or (COS)) near2 (map\$4)) AND ((statistic\$5) or (stochastic\$5)) AND ((train\$3) or (mock \$3) or ((run) adj (through)) or (simulat \$4)) AND ((((internet) adj (protocol)) or (IP)) near3 ((address) or (identification) or (ID))) AND ((port) adj (number))	USPAT	OR	ON	2008/12/18 12:19
S44	8	(US-6452915-\$ or US-6590885-\$ or US-6594246-\$ or US-6628629-\$ or US-6640248-\$ or US-6680922-\$ or US-6862622-\$ or US-7251218-\$).did.	USPAT	OR	OFF	2008/12/18 12:19

S45	22	("6862622").URPN.	USPAT	OR	OFF	2008/12/18 12:19
S46	133598	(((quality) or (class) or (grade)) adj2 (service)) or ("QOS") or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (sampl\$3))	USPAT	OR	ON	2008/12/18 12:31
S47	1211	(((quality) or (class) or (grade)) adj2 (service)) or ("QOS") or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) SAME (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) SAME ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) SAME ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (sampl\$3))	USPAT	OR	ON	2008/12/18 12:32

S48	20	((((quality) or (class) or (grade)) adj2 (service)) or ("QOS") or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) SAME (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) SAME ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) SAME ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND (((internet) adj (protocol)) or ("IP")) adj (network\$3))	USPAT	OR	ON	2008/12/18 12:34
S49	2678	((((quality) or (class) or (grade)) adj2 (service)) or ("QOS") or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND (((internet) adj (protocol)) or ("IP")) adj (network\$3))	USPAT	OR	ON	2008/12/18 12:56

S50	157	((((quality) or (class) or (grade)) adj2 (service)) or ("QOS" or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND (((internet) adj (protocol)) or ("IP") adj (network\$3)) AND ((traffic) near1 (class))	USPAT	OR	ON	2008/12/18 12:57
S51	133	((((quality) or (class) or (grade)) adj2 (service)) or ("QOS" or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND (((internet) adj (protocol)) or ("IP") adj (network\$3)) AND ((traffic) adj (class))	USPAT	OR	ON	2008/12/18 12:57

S52	97	(((((quality) or (class) or (grade)) adj2 (service)) or ("QOS" or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND ((((internet) adj (protocol)) or ("IP")) adj (network\$3)) AND ((traffic) adj (class)) AND (port\$1) AND (address\$2)	USPAT	OR	ON	2008/12/18 14:14
S53	4	(((((quality) or (class) or (grade)) adj2 (service)) or ("QOS" or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or ((numerical) adj (data)) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND ((((internet) adj (protocol)) or ("IP")) adj (network\$3)) AND ((traffic) adj (class)) AND (port\$1) AND (address\$2) AND ((assign\$4) near 1	USPAT	OR	ON	2008/12/18 14:16

S54	59	((QOS)) ((((quality) or (class) or (grade)) adj2 (service)) or ("QOS") or ("COS") or ("GOS") or ((differentiated) adj (service\$1))) AND (((traffic) SAME (analysis)) or (analy \$4) or (model\$3)) AND ((statistic\$5) or (stochastic\$5) or (quantitative) or (numerical) adj (data) or (algorithm \$1)) AND ((train\$3) or (mock\$3) or (running) or ((run) adj (through)) or (simulat \$4) or (saml\$3))) AND (((internet) adj (protocol)) or ("IP")) adj (network\$3)) AND ((traffic) adj (class)) AND (((source) or (destination)) near1 (port\$1)) AND (address\$2)	USPAT	OR	ON	2008/12/18 14:24
-----	----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----	----	---------------------

12/21/2008 5:01:48 AM

C:\Documents and Settings\mmais\My Documents\EAST\Workspaces\10,764,001 [12-16-2008].wsp